

Types/Classes of Ships	ANNEX A – Rationalized Minimum Requirements of Life Saving Appliances and Equipment Amending Chapter IX of PMMRR 1997*			
	Category 1	Category 2		Category 3
	Ships Engaged in International Voyage	Ships Engaged in Coastwise Voyage (Greater Coastal Waters)	Ships Engaged in Partly Protected Voyage (Coastal Water)	Ships Engaged in Protected Voyage (Smooth Waters)
<p>Class B - Cargo Ships</p> <p>➤ Conventional</p> <p>➤ Motor Banca (With Outrigger)</p>	<p>1. Life Saving Appliances</p> <ul style="list-style-type: none"> SOLAS '74, as amended <p>--</p>	<p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for ships less than 250 gt; Four (4) lifebuoys for ships 250 gt but less than 500 gt; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with manually activated smoke signal as well as buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Four (4) rocket parachute flares for ships less than 500 gt; Six (6) rocket parachute flares for ships 500 gt and above; <p>➤ No motor banca shall be allowed to operate under this category.</p>	<ul style="list-style-type: none"> Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Four (4) lifebuoys for motor bancas less than 20 meters in length; Six (6) lifebuoys for motor bancas 20 meters and over in length; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights with at least one (1) of which shall be fitted with self activated smoke signal as well as buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) approved-type lifejacket for each and every person authorized on board with an additional 10% of the total number of persons allowed on-board, suitable for children. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least four (4) rocket parachute flares if and when allowed to sail during nighttime navigation. <p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) Lifebuoys for ships less than 500 gt; Four (4) lifebuoys for ships 500 gt and above; 50% of the required lifebuoys, and in no case less than one (1), shall be fitted with self igniting lights with at least one (1) of which shall be fitted with manually activated smoke signal as well as a buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Two (2) rocket parachute flares for ships less than 500 gt. Four (4) rocket parachute flares for ships 500 gt and above. <p>➤ No motor banca with length less than 12 meters or 15 gt shall be allowed to operate under this category.</p>	<ul style="list-style-type: none"> 50% of the required lifebuoys, and in no case less than one (1), shall be fitted with self igniting lights with at least one (1) of which shall be fitted with self activated smoke signal as well as a buoyant line of at least 25 meters in length. <p>b. Lifejackets:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) approved-type lifejacket for each and every person authorized on board with an additional 10% of the total number of persons allowed on-board, suitable for children. <p>c. Distress Flares:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) rocket parachute flares if and when allowed to sail during nighttime navigation. <p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) lifebuoys; 50% of the required lifebuoys shall be fitted with a buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) rocket parachute flares.

*Pursuant to Reg. IX/2.2 of the 1997 PMMRR

Types/Classes of Ships	ANNEX A – Rationalized Minimum Requirements of Life Saving Appliances and Equipment Amending Chapter IX of PMMRR 1997*			
	Category 1	Category 2		Category 3
	Ships Engaged in International Voyage	Ships Engaged in Coastwise Voyage (Greater Coastal Waters)	Ships Engaged in Partly Protected Voyage (Coastal Water)	Ships Engaged in Protected Voyage (Smooth Waters)

<p>Class C - Tankers (To include tanker-barges)</p>	<p>1. Life Saving Appliances</p> <ul style="list-style-type: none"> SOLAS '74, as amended 	<p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for ships less than 250 gt; Four (4) lifebuoys for ships 250 gt but less than 500 gt; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with manually activated smoke signal as well as buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Four (4) rocket parachute flares for ships less than 500 gt; Six (6) rocket parachute flares for ships 500 gt and above; 	<p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the motor banca is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for motor bancas less than 20 meters in length; Four (4) lifebuoys for motor bancas 20 meters and over in length; 50% of the required lifebuoys, and in no case less than one (1), shall be fitted with manually activated smoke signal as well as buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) rocket parachute flares if and when allowed to sail during nighttime navigation. <p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for ships less than 500 gt; Four (4) lifebuoys for ships 500 gt and above; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with manually activated smoke signal as well as buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Two (2) rocket parachute flares for ships less than 500 gt; Four (4) rocket parachute flares for ships 500 gt and above; 	<p>1. Life Saving Appliances</p> <p>a. Lifebuoys:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least two (2) lifebuoys; and 50% of the required lifebuoys shall be fitted with buoyant line of at least 25 meters in length. <p>b. Lifejackets:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>c. Distress Flares:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) rocket parachute flare if and when allowed to sail during nighttime navigation. <p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) lifebuoys 50% of the required lifebuoys shall be fitted with buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least (1) rocket parachute flares.
--	---	--	---	---

*Pursuant to Reg. IX/2.2 of the 1997 PMMRR

Types/Classes of Ships	ANNEX A – Rationalized Minimum Requirements of Life Saving Appliances and Equipment Amending Chapter IX of PMMRR 1997*			
	Category 1	Category 2		Category 3
	Ships Engaged in International Voyage	Ships Engaged in Coastwise Voyage (Greater Coastal Waters)	Ships Engaged in Partly Protected Voyage (Coastal Water)	Ships Engaged in Protected Voyage (Smooth Waters)

Class D - Tugs & Dredgers	1. Life Saving Appliances	1. Life Saving Appliances	1. Life Saving Appliances	1. Life Saving Appliances
	<ul style="list-style-type: none"> SOLAS '74, as amended 	<p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) lifebuoys 50% of the required lifebuoys and, in no case not less than one (1), shall be fitted with manually activated smoke signal as well as a buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) rocket parachute flares. 	<p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) lifebuoys 50% of the required lifebuoys and, in no case shall be fitted with manually activated smoke signal not less than one (1) as well as a buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) rocket parachute flares. 	<p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) lifebuoys 50% of the required lifebuoys shall be fitted with buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) rocket parachute flares.
Class E - Fishing Vessels	1. Life Saving Appliances	1. Life Saving Appliances	1. Life Saving Appliances	1. Life Saving Appliances
	<ul style="list-style-type: none"> SOLAS '74, as amended 	<p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry, or 100% equivalent approved-type liferaft for vessels with less than 12 meters in length. <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for ships less than 500 gt; Four (4) lifebuoys for ships 500 gt and above; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with manually activated smoke signal as well as buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Four (4) rocket parachute flares for ships less than 500 gt; Six (6) rocket parachute flares for ships 500 gt and above; 	<p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry, or 100% equivalent approved-type liferaft for vessels with less than 12 meters in length. <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for ships less than 500 gt; Four (4) lifebuoys for ships 500 gt and above; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with manually activated smoke signal as well as buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Two (2) rocket parachute flares for ships less than 500 gt; Four (4) rocket parachute flares for ships 500 gt and above; 	<p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) lifebuoys; 50% of the required lifebuoys shall be fitted with buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) rocket parachute flares.

*Pursuant to Reg. IX/2.2 of the 1997 PMMRR

Types/Classes of Ships	ANNEX A – Rationalized Minimum Requirements of Life Saving Appliances and Equipment Amending Chapter IX of PMMRR 1997*			
	Category 1	Category 2		Category 3
	Ships Engaged in International Voyage	Ships Engaged in Coastwise Voyage (Greater Coastal Waters)	Ships Engaged in Partly Protected Voyage (Coastal Water)	Ships Engaged in Protected Voyage (Smooth Waters)

<p>➤ Motor Banca (With Outrigger)</p> <p>Class F - Yachts</p>	<p>1. Life Saving Appliances</p> <ul style="list-style-type: none"> SOLAS '74, as amended 	<p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the motor banca is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least two (2) lifebuoys; 50% of the required lifebuoys, and in no case less than one (1), shall be fitted with manually activated smoke signal as well as a buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Two (2) rocket parachute flares for motor bancas less than 12 meters in length or 15 gt; Four (4) rocket parachute flares for motor bancas 12 meters and over and length or 15 gt and above. 	<p>1. Life Saving Appliances</p> <p>a. Lifebuoys:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least two (2) lifebuoys; 50% of the required lifebuoys, and in no case less than one (1), shall be fitted with manually activated smoke signal as well as a buoyant line of at least 25 meters in length. <p>b. Lifejackets:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>c. Distress Flares:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least two (2) rocket parachute flares. 	<p>1. Life Saving Appliances</p> <p>a. Lifebuoys:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least two (2) lifebuoys; 50% of the required lifebuoys shall be fitted with buoyant line of at least 25 meters in length. <p>b. Lifejackets:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>c. Distress Flares:</p> <ul style="list-style-type: none"> Every motor banca shall carry at least one (1) rocket parachute flare if and when allowed to sail during nighttime navigation.
	<p>1. Life Saving Appliances</p> <ul style="list-style-type: none"> SOLAS '74, as amended 	<p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Rescue Boats:</p> <ul style="list-style-type: none"> One (1) rescue boat or equivalent approved-type rescue boat for ships 500 gt and above. <p>c. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for ships less than 250 gt; Four (4) lifebuoys for ships 250 gt but less than 500 gt ; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with self activated smoke signal as well as buoyant line of at least 25 meters in length. <p>d. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. 	<p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Rescue boats:</p> <ul style="list-style-type: none"> One (1) rescue boat or equivalent approved-type rescue boat for ships 500 gt and above. <p>c. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for ships less than 500 gt; Four (4) lifebuoys for ships 500 gt and above; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with self activated smoke signal as well as buoyant line of at least 25 meters in length. <p>d. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. 	<p>1. Life Saving Appliances</p> <p>d. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) lifebuoys; 50% of the required lifebuoys shall be fitted with buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) rocket parachute flares.

*Pursuant to Reg. IX/2.2 of the 1997 PMMRR

Types/Classes of Ships	ANNEX A – Rationalized Minimum Requirements of Life Saving Appliances and Equipment Amending Chapter IX of PMMRR 1997*			
	Category 1	Category 2		Category 3
	Ships Engaged in International Voyage	Ships Engaged in Coastwise Voyage (Greater Coastal Waters)	Ships Engaged in Partly Protected Voyage (Coastal Water)	Ships Engaged in Protected Voyage (Smooth Waters)
Class G – High Speed Crafts	<p>1. Life Saving Appliances</p> <ul style="list-style-type: none"> SOLAS '74, as amended 	<p>1. Life Saving Appliances</p> <p>e. Distress Flares:</p> <ul style="list-style-type: none"> Four (4) rocket parachute flares for ships less than 500 gt; Six (6) rocket parachute flares for ships 500 gt and above; <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Rescue Boats:</p> <ul style="list-style-type: none"> One (1) rescue boat or equivalent approved-type rescue boat for ships 20 meters and over in length. <p>c. Lifebuoys:</p> <ul style="list-style-type: none"> Six (6) lifebuoys for ships less than 20 meters in length; Eight (8) lifebuoys for ships 20 meters but less than 40 meters in length; Ten (10) lifebuoys for ships 40 meters and over in length; 50% of the required lifebuoys, and in no case less than four (4), shall be fitted with self igniting lights, with at least two (2) of which shall be fitted with self activated smoke signal as well as buoyant line of at least 25 meters in length. <p>d. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board with an additional 10% of the total number of persons allowed on board, suitable for children. <p>e. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least six (6) rocket parachute flares. 	<p>1. Life Saving Appliances</p> <p>e. Distress Flares:</p> <ul style="list-style-type: none"> Two (2) rocket parachute flares for ships less than 500 gt; Four (4) rocket parachute flares for ships 500 gt and above; <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Rescue Boats:</p> <ul style="list-style-type: none"> One (1) rescue boat or equivalent approved-type rescue boat for ships 20 meters and over in length. <p>c. Lifebuoys:</p> <ul style="list-style-type: none"> Four (4) lifebuoys for ships less than 20 meters in length; Six (6) lifebuoys for ships 20 meters but less than 40 meters in length; Eight (8) lifebuoys for ships 40 meters and over in length; 50% of the required lifebuoys, and in no case less than two (2), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with self activated smoke signal as well as buoyant line of at least 25 meters in length. <p>d. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board with an additional 10% of the total number of persons allowed on board, suitable for children. <p>e. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least four (4) rocket parachute flares. 	<p>1. Life Saving Appliances</p> <p>a. Survival Craft: (To cover the total number of persons the ship is authorized to carry)</p> <ul style="list-style-type: none"> Lifeboat or combination of liferaft, or Liferaft (Inflatable/Rigid Type or Equivalent Approved-Type) <ul style="list-style-type: none"> 100% inflatable/rigid type or combination of equivalent approved-type liferaft which shall cover up to 50% of the total number of persons the ship is authorized to carry. <p>b. Lifebuoys:</p> <ul style="list-style-type: none"> Two (2) lifebuoys for ships less than 20 meters in length; Four (4) lifebuoys for ships 20 meters but less than 40 meters in length; Six (6) lifebuoys for ships 40 meters and over in length; 50% of the required lifebuoys, and in no case less than one (1), shall be fitted with self igniting lights, with at least one (1) of which shall be fitted with self activated smoke signal as well as buoyant line of at least 25 meters in length. <p>c. Lifejackets:</p> <ul style="list-style-type: none"> Every ship shall carry at least one (1) approved-type lifejacket for each and every person authorized on board with an additional 10% of the total number of persons allowed on board, suitable for children. <p>d. Distress Flares:</p> <ul style="list-style-type: none"> Every ship shall carry at least two (2) rocket parachute flares.
Class H - Special Purpose Ships	<p>1. Life Saving Appliances</p> <ul style="list-style-type: none"> SOLAS '74, as amended 	The minimum LSA/E requirements for Class H ships are the same under Class B ships.	The minimum LSA/E requirements for Class H ships are the same under Class B ships.	The minimum LSA/E requirements for Class H ships are the same under Class B ships.
Class I - Miscellaneous Ships (To include non-propelled barge, etc.)	<p>2. Life Saving Appliances</p> <ul style="list-style-type: none"> SOLAS '74, as amended 	The minimum LSA/E requirements for Class I ships are the same under Class D ships.	The minimum LSA/E requirements for Class I ships are the same under Class D ships.	The minimum LSA/E requirements for Class I ships are the same under Class D ships.

*Pursuant to Reg. IX/2.2 of the 1997 PMMRR