

Annex 1

| ITEM | TECHNICAL SPECIFICATIONS | STATEMENT OF COMPLIANCE |
|--------------------------------------|--|-------------------------|
| 1.00 FURNITURE & CABINERY | | |
| 1.1 FURNITURES | | |
| IF01A | 4 Pax Open Desking System 4- 1500/1500w x 600/500d x 750h 25mm Thk, E-1 grade MDF board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, Table legs are powder coated steel with 20 60x1.2mm dimesions, Table Beams are powder coa- ted steel with 40x40x1.2mm dimensions, 4 - fixed pe- destal in E-1 grade medium density board melamine finish with complete fittings. 4 - 1400wx350h 8mm acrylic partitions with brackets. Complete with polyvynil grommets | 1 sets |
| IF01B | Officer's Freestanding Table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40 x1.2 mm dimensions, complete with polyvynil grommets, 2000w x 900d x 750h | 2 sets |
| IF01C | Executive chair with adjustable padded armrest with tilttable nylon mesh headrest Seat is made up of 50mm THK. Seat cushion of high density foam that's fully upholstered with flame- retard dent fabric. Back shell is made of injection-moulded polypropylene with nylon mesh with square-edged modern design, with adjustable tension lumbar support, Pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, aluminumstar base on heavy-duty, double-nylon casters where each carry up to 100lbs each caste | 6 sets |
| IF01D | Mid-Back Chair with fixed polypropylene armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame retardant fabric. Back shell is made of injection- moulded polypropylene with nylon mesh, with square-edges, cruved-sides modern design pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, nylon star-base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and can carry up to 100lbs each caster | 76 sets |
| IF01E | Mid-Back Chair with fixed polypropylene armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame retardant fabric. Back shell is made of injection- moulded polypropylene with nylon mesh, with square-edges, curved-sides modern design pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, nylon star-base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and can carry up to 100lbs each caster | 1 set |
| IF01F | Officer's Freestanding Table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40 x1.2 mm dimensions, complete with polyvynil grommets, 1600w x 600d x 750h | 1 set |
| IF01G | Receiving chair Stackable, Seat and back are made of injection moulded polypropylene Frame and base are of 16mm diameter, 1.2mm thick steel chrome material Without armrest, With durable rubber footing that prevents slipping, and protects floors and surfaces from scratches; | 7 sets |
| IF01H | Mid-Back Chair with fixed polypropylene armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame retardant fabric. Back shell is made of injection- moulded polypropylene with nylon mesh, with square-edges, curved-sides modern design pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, nylon star-base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and can carry up to 100lbs each caster | 7 sets |
| IF01I | Mid-Back Chair with fixed polypropylene armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame retardant fabric. Back shell is made of injection- moulded polypropylene with nylon mesh, with square-edges, curved-sides modern design pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, nylon star-base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and can carry up to 100lbs each caster | 2 sets |
| IF01J | 4 Pax Open Desking System 4- 1500w x 700d x 750h 25mm Thk, E-1 grade MDF board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, Table legs are powder coated steel with 20 60x1.2mm dimesions, Table Beams are powder coated steel with 40x40x1.2mm dimensions, 2 - 1400 w x 350h 8mm acrylic screen partition with brackets. Complete with polyvynil grommets | 1 lot |
| IF01J' | 3 Pax Open Desking System 4- 1500w x 700d x 750h 25mm Thk, E-1 grade MDF board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, Table legs are powder coated steel with 20 60x1.2mm dimesions, Table Beams are powder coated steel with 40x40x1.2mm dimensions, 2 - 1400 w x 350h 8mm acrylic screen partition with brackets. Complete with polyvynil grommets | 1 lot |
| IF01J'' | 4 Pax Linear Open Desking System 4- 1500w x 700d x 750h 25mm Thk, E-1 grade MDF board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, Table legs are powder coated steel with 20 x60x1.2mm dimesions, Table Beams are powder coated steel with 40x40x1.2mm dimensions, 4 - 1400 w x 350h 8mm acrylic screen partition with brackets. Complete with polyvynil grommets | 1 lot |
| IF01K | Pantry Table 25mm Thk. E-1 grade MDF with high-pressure laminate finish, With pre-glued flat polyvinyl edge bandWith Telescopic beam and powder coated steellegs, 1200w x 700d x 750h | 1 set |
| IF01L | Pantry Chair Stackable, Seat and back are made of injection moulded polypropylene, Base is of 16mm diameter; Without armrest, With durable rubber footing that prevents slipping, and protects floors and surfaces from scratches: | 12 sets |

| | | | |
|--------|---|----------|--|
| IF01M | Mid-Back Chair with fixed polypropylene armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame retardant fabric. Back shell is made of injection-moulded polypropylene with nylon mesh, with square-edges, curved-sides modern design pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, nylon star-base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and can carry up to 100lbs each caster | 3 sets | |
| IF01N | Metal Racks Material: High Quality cold-rolled steel sheet; With smooth finish and durable coating with 4 adjustable shelves, 5 layer storage including top Each Layer can load 300-500kgs With Metal dimensions - Vertical Beam: 80*40*1.2mm - Horizontal Beam: 80*40*1.5mm - Layer Board: 0.8mm with stiffener 3600w x 600d x 2100h | 3 sets | |
| IF01O | Freestanding Table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40 x1.2 mm dimensions, complete with polyvnyl grommets, 1500w x 700d x 750h | 2 sets | |
| IF01P | Visitor's Chair with fixed polypropylene armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame-retardant fabric. Back shell is made of injection-moulded polypropylene with nylon mesh with square-edged modern design, with adjustable tension lumbar with 1.5mm thk. Tubular, steel chrome cantilever base | 2 sets | |
| IF02A | Freestanding Table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40 x1.2 mm dimensions, complete with polyvnyl grommets, 1500w x 700d x 750h | 2 sets | |
| IF02B | Freestanding Table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40 x1.2 mm dimensions, complete with polyvnyl grommets, 1500w x 700d x 750h | 4 sets | |
| IF02B' | 3 Pax Linear open desking system 3 - 1500w x 700d x 750h MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40 x1.2 mm dimensions, complete with polyvnyl grommets, | 1 set | |
| IF02C | Mid-Back Chair with fixed polypropylene armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame retardant fabric. Back shell is made of injection-moulded polypropylene with nylon mesh, with square-edges, curved-sides modern design pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, nylon star-base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and can carry up to 100lbs each caster | 4 sets | |
| IF02D | Waiting Chair Stackable, Seat and back are made of injection moulded polypropylene that has passed the Rohs PP impact copolymer; Frame and base are of 28mm diameter, 1.2mm Thick chrome material; without armrest, with durable rubber footing that prevents slipping, and protects floors and surfaces from scratches; Linkable through resilient polypropylene | 115 sets | |
| IF02E | 4 Pax Open Desking System 4 - 1500/1500w x 700/500d x 750h 25mm thick, E-1 grade medium-density fiber board with high-pressure laminate finish | 4 set | |

| | | | |
|--------------|---|---------|--|
| | <p>With pre-glued flat polyvinyl edge band Table Legs are powder coated steel with 20x60x1.2mm dimensions, Table Beams are powder coated steel with 40x40x1.2mm dimensions 4 - 1400w x 350h 8mm acrylic screen partition with brackets Complete with polyvynil grommets</p> | | |
| IF02F | <p>Freestanding L-Shape Table 1500w x 700d x 750 - main top 800w x 500d x 750h - side table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40x1.2mm dimensions, complete with polyvynil grommets</p> | 2 sets | |
| IF02G | <p>Round table 25mm Thk, E-1 grade MDF board with high-pressure laminated finish. With pre-glued flat polyvinyl edge band. With powder coated steel base</p> | 2 sets | |
| IF02H | <p>Receiving chair Stackable, Seat and back are made of injection moulded polypropylene Frame and base are of 16mm diameter, 1.2mm thick steel chrome material Without armrest, With durable rubber footing that prevents slipping, and protects floors and surfaces from scratches;</p> | 15 sets | |
| IF02J | <p>Freestanding L-Shape Table 2000w x 700d x 750 - main top 1100w x 600d x 750h - side table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40x1.2mm dimensions, complete with polyvynil grommets</p> | 5 sets | |
| IF02K | <p>Freestanding Table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40x1.2 mm dimensions, complete with polyvynil grommets, 1500w x 700d x 750h</p> | 2 sets | |
| IF02L | <p>Section Head L-Shape Table 2200w x 900d x 750 - main top 700w x 600d x 750h - side table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40x1.2mm dimensions, complete with polyvynil grommets</p> | 1 set | |
| IF02M | <p>Freestanding Table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40x1.2 mm dimensions, complete with polyvynil grommets, 1500w x 700d x 750h</p> | 1 set | |
| IF02N | <p>2 seater sofa Custom-made solid wood frame sheathed with high density foam that's fully upholstered with flame-retardant leatherette with seam class-4, with 1.5mm thk.stainless steel frame 1440w x 850d x 720h</p> | 1 set | |
| IF02O | <p>3 seater sofa Custom-made solid wood frame sheathed with high density foam that's fully upholstered with flame-retardant leatherette with seam class-4, with 1.5mm thk.stainless steel frame 2000w x 850d x 720h</p> | 1 set | |
| IF02P | <p>RD Visitor's Chair With fixed chrome armrest topped with solid wood, Seat and back are made up of 60mm Thk. Moulded foam that's fully upholstered with flame-retardant leatherette, Pneumatic seat height adjustment, and butterfly mechanism with 1.5mm Thk.</p> | 2 sets | |

| | | | |
|--------------|---|---------|--|
| | tubular, steel chrome cantilever base | | |
| IF02Q | RD Executive Chair With fixed chrome armrest topped with solid wood, Seat and back are made up of 60mm Thk. Moulded foam that's fully upholstered with flame-retardant leatherette, Pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, chrome star base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and has a weight capacity of up to 100lbs each caste | 1 set | |
| IF02R | Executive Table Veneer finish with medium density fiber board substrate. Has undergone seven-stage staining and finishing process that ensures durability. With side table, cabinets and drawers Cabinet and drawers are with soft-close mechanism Complete with wire management | 1 set | |
| IF02S | Dining table set w/ 6 seats MDF with wood veneer powder coated legs Fabric Cushion, black powder coated legs | 1 set | |
| IF03A | Receiving Counter 2400w x 600d x 750h - table top 2000w x 600d x 750h- Table top 1870w x 300d x 1050h - Ledge 1780w x 300d x 1050 - ledge 25mm Thk, E-1 grade MDF board with high-pressure laminate finish. With pre-glued flat polyvinyl edge band, and grommets powder coated 1.5mm THK tubular steel support legs and 20cm extended support table brackets for increased stability 1 - 1870w x 1025h 1-1780w x 1025h 60mm thk. RAC aluminum profile system with 4mm thk. E-1 grad MDF board in high pressure laminate finish with swing typenon detachable cabinet raceway | 1 set | |
| IF03B | 2 Pax Open Desking System 4 - 1500w x 700d x 750h - main top 25mm thick, E-1 grade medium-density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band Table Legs are powder coated steel with 20x60x 1.2mm dimensions, Table Beams are powder coated steel with 40x40 x1.2mm dimensions 1-1400w x 350 h 8mm acrylic screen partition with brackets Complete with polyvinyl grommets | 1 set | |
| IF03C | Retractable Table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band with powder coated foldable steel leg with nylon casters Linkable with durable nylon connectors w1500 x d600x 750 | 8 sets | |
| IF03D | Mid-Back Chair with adjustable padded armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame retardant fabric. Back shell is made of injection-moulded polypropylene with nylon mesh, with square-edges, curved-sides modern design pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, nylon star-base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and can carry up to 100lbs each caster | 16 sets | |

| | | | |
|--------------|--|---------|--|
| IF03E | <p>6 pax open desking system 6-1500w x 700dx 750h main top 6- 700w x 500d x 750h - side table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band table legs are powder coated steel with 20x60x1.2 mm dimensions table beams are powder coated steel with 40x40 1.2mm dimensions 5-1400w x 350h 2-600w x 350h 8mm acrylic screen aprtitions with brackets complete with polyvynil grommets</p> | 1 set | |
| IF03F | <p>Retractable Table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band Table legs are powder coated steel with 20x60x1.2 mm dimensions Table Beams are powder coated steel with 40x40x 1.2mm dimensions. complete withpolyvynil grommets</p> | 1 set | |
| IF03G | <p>Square table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band powder coated 1.5mm thk. tubular steel support leg 600w x 600dx 750d</p> | 3 sets | |
| IF03H | <p>Pantry Chair Stackable, Seat and back are made of injection polypropylene, Base is of 16mm Diameter 1.2mm Thk. Powder coated material; without armres With durable rubber footing that prevents slipping and protects floors and sufraces from scratche</p> | 12 sets | |
| IF03I | <p>Freestanding Table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band Table legs are powder coated steel with 20x60x1.2 mm dimensions Table Beams are powder coated steel with 40x40 1.2mm dimensions. complete withpolyvynil grommets 1500w x 700d x 750h</p> | 1 set | |
| IF04A | <p>Waiting Chair Stackable, Seat and back are made of injection moulded polypropylene that has passed the Rohs PP impact copolymer; Frame and base are of 28mm diameter, 1.2mm Thick chrome material; without armrest, with durable rubber footing that prevents slipping, and protects floors and surfaces from scratches; Linkable through resilient polypropylene</p> | 49 sets | |
| IF04B | <p>3 seater sofa Custom-made solid wood frame sheathed with high density foam that's fully uphostered with flame-retardant leatherette with seam class-4, with 1.5mm thk.stainless steel frame 1440w x 850d x 720h</p> | 1 set | |
| IF04C | <p>Meeting Table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band Table legs are powder coated steel with 20x60x1.2 mm dimensions Table beams are powder coated steel with 40x40 1.2mm dimensions complete withpolyvynil grommets 1200w x 600d x 750d</p> | 2 sets | |

| | | | |
|-------|---|---------|--|
| IF04D | <p>Officer's Freestanding Table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band Table legs are powder coated steel with 20x60x1.2 mm dimensions Table beams are powder coated steel with 40x40 1.2mm dimensions complete with polyvynil grommets 2000w x 900d x 750h</p> | 1 set | |
| IF04E | <p>Freestanding Table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band Table legs are powder coated steel with 20x60x1.2 mm dimensions Table beams are powder coated steel with 40x40 1.2mm dimensions complete with polyvynil grommets 1200w x 600d x 750h</p> | 2 sets | |
| IF04F | <p>Corner Table 25mm Thk, E-1 grade medium- density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band 900ww x 500d x 750h</p> | 4 sets | |
| IF04G | <p>Single wooden bed frame is of alloy metal and solid wood sheets are not less than 300 thread count cotton satin pillows are if 20" x 26" size with 22oz filling 2020w x 950d x 820h</p> | 4 sets | |
| IF04H | <p>49 PAX modular Cubicles 49 - 800w x 600d x 750h Top: 25mm Thk, E-1 grade mdf board with high-pressure laminate finish, With pre-glued flat polyvinyl edge band, and grommets 35 - 800w x 1400h 63 - 1000w x 1400h 30 mm thk. RAC aluminum profile system in 2-tone fabric finish. with 4mm Thk E-1 grade mdf board topped with 3.17mm Thk foam in 2-tone fabric. With CPU twister holder</p> | 1 lot | |
| IF04I | <p>Double deck wooden bed frame is of alloy metal and solid wood sheets are not less than 300 thread count cotton satin pillows are if 20" x 26" size with 22oz filling 2020w x 950d x 820h</p> | 4 sets | |
| IF04J | <p>Mid-Back Chair with fixed polypropylene armrest seat is made up of 50mm thk. Seat cushion of high density foam that's fully upholstered with flame retardant fabric. Back shell is made of injection-moulded polypropylene with nylon mesh, with square-edges, cruved-sides modern design pneumatic seat height adjustment, and butterfly mechanism with 5-pronged, nylon star-base on heavy-duty, double-nylon casters where each double-nylon caster is of 65mm diameter, and can carry up to 100lbs each caster</p> | 49 sets | |
| IF04K | <p>Stackable seat and back are made of injection-moulded polypropylene, frame and Base is of 16mm Diameter 1.2mm thk steel chrome material; Without armres With durable rubber footing that prevents slipping and protects floors and sufraces from scratche</p> | 4 sets | |
| IF04L | <p>3 seater sofa Custom-made solid wood frame sheathed with high density foam that's fully uphostered with flame-retardant leatherette with seam class-4, with 1.5mm thk.stainless steel frame 1890w x 700d x 730h</p> | 1 set | |
| IF04M | <p>Center Table 32mm thk, E-1 grade mdf board with walnut high pressure laminate finish, with powder coated square legs 1200w x 600d x 320h</p> | 1 set | |

| | | | |
|---------------|--|---------|--|
| IF04N | Single seater sofa Custom-made solid wood frame sheathed with high density foam that's fully upholstered with flame-retardant leatherette with seam class-4, with 1.5mm thk.stainless steel frame 840w x 700d x 730 | 1 set | |
| IF02O | Section Head L-Shape Table 1500w x 700d x 750 - main top 1000w x 600d x 750h - side table 25mm Thk. Top and 18mm Thk front panel, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, table legs are powdered coated steel with 20x60x1.2mm dim. Table beams are powdered coated steel with 40x40 1.2mm dimensions, complete with polyvynil grommets | 2 sets | |
| | | | |
| CAB01A | Open Shelves 950W x 400d x 2100h 25mm Thk, E-1 grade medium-density fiber board with high-pressure laminate finish, with pre-glued fkat polyvinyl edge band, with 5 layer shelves. | 1 set | |
| CAB01B | Open Shelves 1140w x 400d x 2100h 25mm Thk, E-1 grade medium-density fiber board with high-pressure laminate finish, with pre-glued fkat polyvinyl edge band, with 5 layer shelves. | 2 sets | |
| CAB01C | Open Shelves 1400/600w x 400d x 2100h 25mm Thk, E-1 grade medium-density fiber board with high-pressure laminate finish, with pre-glued fkat polyvinyl edge band, with 5 layer shelves. | 1 set | |
| CAB01D | 4 Layer Metal Cabinet Material: high quality cold-rolled steel sheet; With smooth finish and durable coating, Centra Lock system that secures all drawers with a single key built-in drawer interlock system that prevents more than one drawer from opening at the same time with handle, file divider and pen try, has anti-tip base supports on front and back with 5 heavy duty, nylon caters 900w x 450d x 1380h | 10 sets | |
| CAB01E | Material: high quality cold-rolled steel sheet; With smooth finish and durable coating, Centra Lock system that secures all drawers with a single key built-in drawer interlock system that prevents more than one drawer from opening at the same time with handle, file divider and pen try, has anti-tip base supports on front and back with 5 heavy duty, nylon caters 400w x 560d x 650h | 85 sets | |
| CAB01F | 4 Layer Metal Cabinet Material: high quality cold-rolled steel sheet; With smooth finish and durable coating, Centra Lock system that secures all drawers with a single key built-in drawer interlock system that prevents more than one drawer from opening at the same time with handle, file divider and pen try, has anti-tip base supports on front and back with 5 heavy duty, nylon caters 460w x 620d x 1340h | 5 sets | |
| CAB01G | Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 2000h x 400d x 600h more than one drawer from opening at the same time with handle, file divider and pen try, has anti-tip base supports on front and back with 5 heavy duty, nylon caters 460w x 620d x 1340h | 1 set | |

| | | | |
|----------------|---|-------|--|
| CAB01H | <p>Reception Desk 1 - 1500/1100 X 500/300d x 750h - top 1 - 1500w x 500d x 750h - top 7- 1300w x 500d x 750h - top 1 - 1100w x 500d x 750h - corner top 1 - 3000w x 300d x 1050h - ledge with cuts 25mm THK, E-1 grade MDF board with high-pressure laminate finish with pre-glued flat polyvinyl edge band, and grommets powder coated 1.5mm THK post support legs and 20cm extended support table brackets for increased stability 7 - 1650w x 1350h 2 - 1100w x 1350h 1 - 500w x 1350h 2 - 1500w x 1025h 7 - 1300w x 725h 1 - 1100w x 725h 1 - 500w x 725h 60mm thk. RAC aluminum profile system with 4mm thk. E-1 grad MDF board in high pressure laminate finish with swing typhenon detachable cable raceway</p> | 1 set | |
| CAB01I | <p>Pantry cabinet synthetic granite top 25mm thick, E-1 grade medium-density fiber board with high-pressure laminate finish with pre-glued flat polyvinyl edge band With shelves, sidings, soft-close equipped doors and complete finish with small sink</p> | 1 set | |
| CAB01I' | <p>Pantry cabinet synthetic granite top 25mm thick, E-1 grade medium-density fiber board with high-pressure laminate finish with pre-glued flat polyvinyl edge band With shelves, sidings, soft-close equipped doors and complete finish without sink</p> | 1 set | |
| CAB01K | <p>Information Counter 2400/2100w x 500d x 750h - top 2400/2400w x 300d x 1050h- Ledge 25mm thick, E-1 grade medium-density fiber board with high-pressure laminate finish with pre-glued flat polyvinyl edge band 1 - 2200w x 1025h - 60mm 1 - 2600w x 1025h - 60mm 60mm thk. RAC aluminum profile system with 4mm thk E-1 grade MDF board in high-pressure laminate finish with swing type non detachable cable raceway 1 - 1200w x 500d x 725h 1 - 400w x 500d x 725h customized cabinet, complete with soft-close equipment doors and fittings</p> | 1 set | |
| CAB01L | <p>Hanging cabinet 18mm thk, E-1 grade MDF board with high-pressure laminate finish, With pre-glued flat polyvinyl edge band with sidings, soft-close equipment doors and complete fittings 1400w x 400d x 450h</p> | 1 set | |
| CAB01M | <p>Metal Mobile Compactor Material: high quality cold-rolled steel sheet; has undergone phosphating treatment and acid washing before subjecting to advanced electrostatic spray coating technology, which produces a consistent, smooth finish and can durable coating Steel Structure: Standard pillar 1.2mm thk Hangplate 1.00 mm thk Layer Plate 1.0mm thk Door, front, back, top 0.8mm thk Horizontal beam and vertical column 1.5mm thk base 2.0mm thk rail core is 20x20 solid square steel with metal sheering wheel housed in polypropylene plastic with brake-lock system and anti-tilting mechanism height from rail to floor is 20mm</p> | 1 set | |

| | | | |
|----------------|--|--------|--|
| | <p>Gear type: Drive axle 20mm Diameter, 4#solid round steel connecting steel pipe 25x2.5 mm Chain: motorcycle chain idler wheel: edective 120mm dia. High - strength, iron casting galvanized surfaece each tier can load 80-100kgs</p> | | |
| CAB02A | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 2920w x 400d x 450h | 1 set | |
| CAB02B | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 3680w x 400d x 450d | 1 set | |
| CAB02C | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 1270w x 400d x 450h | 1 set | |
| CAB02C1 | Receiving Counter 5400w x 600d x 750h - table top 2400/2400w x 300d x 1050h- Ledge 25mm thick HPL finish, 25mm thick, E-1 grade medium-density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band, and grommets, Powder coated 1.5mm thick tubular steel support legs and 20cm extended support table brackets for increased stability, 1 - 4800w x 1025h 60mm thick RAC aluminum profile system with 4mm thick E-1 grade medium-density fiber board in high-pressure laminate finish with swing type non detachable cable racewa | 1 set | |
| CAB02D | 6 Door Locker Material: high quality cold-rolled steel sheet; Has undergone phosphating treatment and acid washing before subjecting to advanced electrostatic spray coating technology, which produces a consistent, smooth finish and durable coating, 0.7mm thickness after powder-coating With individual lock system, punch name holder and ai 900w x 400d x 1800h | 2 sets | |
| CAB02E | Shelf 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 1750w x 400d x 1150h | 3 sets | |
| CAB02F | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 900w x 450d x 400 | 1 set | |
| CAB02G | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 1600w x 350d x 400 | 2 sets | |
| CAB02H | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 900w x 450d x 400 | 1 set | |
| CAB02I | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 2000w x 350d x 400 | 2 sets | |
| CAB02J | Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 2400h x 450d x 2100h | 1 set | |
| CAB02K | Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 900h x 450d x 1000h | 1 set | |

| | | | |
|---------------|--|--------|--|
| CAB02L | Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves 900h x 400d x 2100h | 1 set | |
| CAB02M | Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves 1000h x 400d x 2100h | 1 set | |
| CAB02N | Open Shelves 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves 2900w x 400d x 1150h | 1 set | |
| CAB02O | Receiving Counter 3930w x 600d x 750h - table top 3390w x 300d x 1050h- Ledge 25mm thick, E-1 grade medium-density fiber board 25mm thick, E-1 grade medium-density fiber board with high-pressure laminate finish With pre-glued flat polyvinyl edge band, and grommets, Powder coated 1.5mm thick tubular steel support legs and 20cm extended support table brackets for increased stability, 1 - 3390w x 1025h 60mm thick RAC aluminum profile system with 4mm thick E-1 grade medium-density fiber board in high-pressure laminate finish with swing type non detachable cable raceway | 1 lot | |
| CAB02P | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 1950h x 400d x 450h | 3 sets | |
| CAB02Q | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 1500h x 400d x 450h | 2 sets | |
| CAB02R | Open Shelves 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings 1100w x 450d x 600h | 1 set | |
| CAB02S | Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings 2200w x 600d x 600h | 1 set | |
| CAB02T | Cabinet Veneer finish with MDF board substrate has undergone seven-stage staining and finishing process that ensures durability, With shelves and sliding doors. | 1 set | |
| CAB02U | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 2000h x 400d x 450h | 1 set | |
| CAB02V | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 2200h x 400d x 450h | 1 set | |
| CAB02W | Hanging cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band 1150h x 400d x 450h | 1 set | |
| CAB02X | Cabinet Synthetic granite top 25mm Thk., E-1 grade MDF board with high-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, with small sink | 1 set | |

| | | | |
|---------------|--|--------|--|
| CAB03A | <p>Metal Racks Material: High Quality cold-rolled steel sheet; With smooth finish and durable coating with 4 adjustable shelves, 5 layer storage including top Each Layer can load 300-500kgs With Metal dimensions - Vertical Beam: 80*40*1.2mm - Horizontal Beam: 80*40*1.5mm - Layer Borad: 0.8mm with stiffener 3600w x 600d x 2100h</p> | 2 sets | |
| CAB03B | <p>Metal Racks Material: High Quality cold-rolled steel sheet; With smooth finish and durable coating with 4 adjustable shelves, 5 layer storage including top Each Layer can load 300-500kgs With Metal dimensions - Vertical Beam: 80*40*1.2mm - Horizontal Beam: 80*40*1.5mm - Layer Borad: 0.8mm with stiffener 1600w x 600d x 2100h</p> | 2 sets | |
| CAB03C | <p>Metal Racks Material: High Quality cold-rolled steel sheet; With smooth finish and durable coating with 4 adjustable shelves, 5 layer storage including top Each Layer can load 300-500kgs With Metal dimensions - Vertical Beam: 80*40*1.2mm - Horizontal Beam: 80*40*1.5mm - Layer Borad: 0.8mm with stiffener 1600w x 600d x 2100h</p> | 1 set | |
| CAB03D | <p>Metal Racks Material: High Quality cold-rolled steel sheet; With smooth finish and durable coating with 4 adjustable shelves, 5 layer storage including top Each Layer can load 300-500kgs With Metal dimensions -Vertical Beam: 80*40*1.2mm -Horizontal Beam: 80*40*1.5mm -Layer Board: 0.8mm with stiffener 1600w x 600d x 2100h</p> | 1 set | |
| CAB03E | <p>Hanging Cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1170H x 400d x 450h</p> | 1 set | |
| CAB03F | <p>Hanging Cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 600H x 400d x 450h</p> | 1 set | |
| CAB03G | <p>Hanging Cabinet 18mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1250H x 450d x 400h</p> | 1 set | |
| CAB03H | <p>Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1150H x 450d x 1150h</p> | 1 set | |
| CAB03I | <p>Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1500H x 450d x 700h</p> | 2 sets | |
| CAB03J | <p>Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 2500H x 450d x 700h</p> | 2 sets | |
| CAB03K | <p>4 Layer metal cabinet High quality cold-rolled steel sheet; With smooth finish and durable coating, Centra Lock system that secures all drawer with a single key, Built in drawer interlock system that prevents more than one drawer from opening at the sametime, With handle and file divide has anti-tip base supports on front and back</p> | 3 sets | |

| | | | |
|---------------|--|--------|--|
| | 460w x 620 x 1340h | | |
| CAB03L | Cabinet 25mm Thk. E-1 grade MDF Board with High-pressure laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 2000H x 400d x 1150h | 1 set | |
| CAB03M | Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 3000h x 400d x 1200h | 2 sets | |
| CAB03N | Hanging Cabinet 18mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1200h x 400d x 1200h | 5 sets | |
| CAB03P | 4 Layer metal cabinet High quality cold-rolled steel sheet: With smooth finish and durable coating, Centra Lock system that secures all drawer with a single key, Built in drawer interlock system that prevents more than one drawer from opening at the sametime, With handle and file divide has anti-tip base supports on front and back 900w x 450d x 1380d | 2 sets | |
| CAB03Q | Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1000h x 450wx 2100h | 2 sets | |
| CAB03R | Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 2180h x 450d x 2100h | 2 sets | |
| CAB03S | Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1500h x 600d x 2100h | 1 set | |
| CAB04A | Modular Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 3600h x 300d x 1320h | 1 set | |
| CAB04B | Modular Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 2000h x 300w x 1750h | 1 set | |
| CAB04C | Hanging Cabinet 18mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1780h x 350w x 400h | 1 set | |
| CAB04D | Pantry Cabinet Synthetic granite top 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1780h x 550w x 700h | 1 set | |
| CAB04E | Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1150h x 400w x 2100h | 1 set | |
| CAB04F | Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 1070h x 400w x 2100h | 1 set | |

| | | | |
|---------------|---|--------|--|
| CAB04G | Cabinet 25mm Thk, E-1 grade MDF Board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band, with shelves, sidings, soft-close equipped doors and complete fittings, 500h x 400w x 2600h | 2 sets | |
| CAB04H | Cabinet Synthetic granite top 25mm thick , E-1 grade mdf board with high-pressured laminate finish, with pre-glued flat polyvinyl edge band with sidings, shelves, soft-closed equipped doors and complete fittings | 1 set | |
| CAB04I | Janitors Closet Material: High Quality cold-rolled steel sheet; hasb undergone phosphating treatment and acid washing before subjecting to advanced electrostatic spray coating technology, which produces a consistent, smooth finish and durable coating, 0.7mm thickness after powder-coating with 4 adjustable shelves, 5 layer storage with 0. mm thick layer board and stiffener Each Layer can load 100-200kgs with lock set, 900w x 450dx 1802h | 1 set | |

2.00 FIXTURES

2.1 BLINDS

| | | | |
|---------------|---|---------|--|
| ACS01A | Free light adjustment of the functional is made available by Mesh part and fabric part double crossing each other. 60 x 120 | 3 sets | |
| ACS01B | Free light adjustment of the functional is made available by Mesh part and fabric part double crossing each other. 120 x 120 | 17 sets | |
| ACS01C | Free light adjustment of the functional is made available by Mesh part and fabric part double crossing each other. 140 x 120 | 1 set | |
| ACS01D | Free light adjustment of the functional is made available by Mesh part and fabric part double crossing each other. 150 x 120 | 39 sets | |
| ACS01E | Free light adjustment of the functional is made available by Mesh part and fabric part double crossing each other. 170 x 120 | 1 set | |
| ACS01F | Free light adjustment of the functional is made available by Mesh part and fabric part double crossing each other. 180 x 120 | 7 sets | |

2.2 SIGNAGE

| | | | |
|---------------|---|--------|--|
| SG01A | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01B | Black font sticker on 3mm clear acrylic | 2 sets | |
| SG01C | Black font sticker on 3mm clear acrylic | 2 sets | |
| SG01D | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01E | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01F | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01G | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01H | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01I | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01J | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01K | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01L | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01M | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01M' | Black font sticker on 3mm clear acrylic | 1 set | |
| SG01N | Black font sticker on 3mm clear acrylic w/ ligh | 1 set | |
| SG02A | Black font sticker on 3mm clear acrylic | 1 set | |
| SG02B | Black font sticker on 3mm clear acrylic | 1 set | |
| SG02C | Black font sticker on 3mm clear acrylic | 2 sets | |
| SG02D | Black font sticker on 3mm clear acrylic | 1 set | |
| SG02E | Black font sticker on 3mm clear acrylic | 1 set | |
| SG02F | Black font sticker on 3mm clear acrylic | 1 set | |
| SG02G | Black font sticker on 3mm clear acrylic | 1 set | |
| SG02H | Black font sticker on 3mm clear acrylic | 1 set | |

| | | | |
|--------------|---|--------|--|
| SG02I | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03A | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03B | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03C | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03D | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03E | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03F | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03G | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03H | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03I | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03J | Black font sticker on 3mm clear acrylic | 1 set | |
| SG03K | Black font sticker on 3mm clear acrylic | 4 sets | |
| SG04A | Black font sticker on 3mm clear acrylic | 1 set | |
| SG04B | Black font sticker on 3mm clear acrylic | 1 set | |
| SG04C | Black font sticker on 3mm clear acrylic | 1 set | |
| SG04D | Black font sticker on 3mm clear acrylic | 1 set | |
| SG04E | Black font sticker on 3mm clear acrylic | 1 set | |

| 2.3 INSTALLATION OF PARTITION AND OTHER FIXTURES | | | |
|---|---|------------|--|
| 2.3.1 GROUND FLOOR | | | |
| - | Supply and Installation of ficem double-faced drywall partitions on approved standard metal frames and all other necessary materials to complete work. Refer to Layout | 40.50sq.m. | |
| | Supply and Application of WF-01B sheen gloss paint finish, Mosaic Blue; One (1) priming coat and two (2) finishing Coat on wood | 80sq.m. | |
| | Supply and Application of WF-01B sheen gloss paint finish, Mosaic Blue; One (1) priming coat and two (2) finishing Coat on wood | 20sq.m. | |
| - | Supply and Installation of D-1 , Single Swing, 3mm thk. Tinted gray annealed glass with gray powdered coated finish aluminum frame. Including all materials to complete work | 1 set | |
| - | Supply and Installation, Fixed-window, 3mm thk. Tinted gray annealed glass with gray powdered coated finish aluminum frame. Including all materials to complete work. W-1, W-2, W-3, W-4, W-5, W-6 | 6 sets | |
| 2.3.2 SECOND FLOOR | | | |
| | Supply and Installation of ficem double-faced drywall partitions on approved standard metal frames and all other necessary materials to complete work. Must consider for windows and door opening. | 30.00sq.m. | |
| | Supply and Application of WF-01B sheen gloss paint finish, Mosaic Blue; One (1) priming coat and two (2) finishing Coat on wood | 32.00sq.m. | |
| | Supply and Application of WF-01C sheen paint finish, White; One (1) priming coat and two (2) finishing Coat on wood | 32.00sq.m. | |
| | Supply and Installation of D-1 , Single Swing, solid core door | 2 sets | |
| 2.3.3 THIRD FLOOR | | | |
| | Supply and Installation of ficem double-faced drywall partitions on approved standard metal frames and all other necessary materials to complete work. Must consider for windows and door opening. | 11.00sq.m. | |
| | Supply and Application of WF-01A sheen gloss paint finish, Mosaic Blue; One (1) priming coat and two (2) finishing Coat | 48.00sq.m. | |
| | Supply and Application of WF-01C sheen paint finish, White; One (1) priming coat and two (2) finishing Coat on wood | 45.50sq.m. | |
| | Supply and Installation of D-1 , Single Swing, solid core door | 2 sets | |
| | Supply and Installation of ficem double-faced drywall partitions on approved standard metal frames and all other necessary materials to complete work. Must consider for windows and door opening. | 62.45sq.m. | |
| | Supply and Application of WF-01B sheen gloss paint finish, Mosaic Blue; One (1) priming coat and two (2) finishing Coat on wood | 94.59sq.m. | |
| | Supply and Application of WF-01C sheen paint finish, White; One (1) priming coat and two (2) finishing Coat on wood | 80.75sq.m. | |
| | Supply and Installation of D-1 , Single Swing, solid core door | 5 sets | |
| | Supply and Installation of W-7 , Fixed-window, 3mm thk. Tinted gray annealed glass with gray powdered coated finish aluminum frame. Including all materials to complete work. | 3 sets | |