



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 7802494
Procuring Entity MARITIME INDUSTRY AUTHORITY (MARINA)
Title PROCUREMENT OF ALL IN ONE PRINTER AND UNINTERRUPTIBLE POWER SUPPLY (UPS)
Area of Delivery Metro Manila

Solicitation Number:	2021-04-141	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods		
Category:	Information Technology Parts & Accessories & Perip	Bid Supplements	0
Approved Budget for the Contract:	PHP 149,700.00		
Delivery Period:	30 Day/s	Document Request List	0
Client Agency:			
Contact Person:	VADM Rene V. Medina AFP (Ret) The BAC Chairperson MARINA Building, A. Bonifacio Drive corner 20th St Port Area, Manila Manila Metro Manila Philippines 1018 63-2-85246518 63-2-85246518 2021marinabac@gmail.com	Date Published	29/06/2021
		Last Updated / Time	28/06/2021 16:08 PM
		Closing Date / Time	02/07/2021 13:00 PM
Description PROCUREMENT OF ALL IN ONE PRINTER AND UNINTERRUPTIBLE POWER SUPPLY (UPS) Please see attached file. You may visit our website at marina.gov.ph (under transparency tab)			

Created by VADM Rene V. Medina AFP (Ret)
Date Created 28/06/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



REQUEST FOR QUOTATION

The Maritime Industry Authority (MARINA) – Bids and Awards Committee (BAC), will undertake a Small Value Procurement for the **PROCUREMENT OF ALL IN ONE PRINTER AND UNINTERRUPTIBLE POWER SUPPLY (UPS)** for FY 2021 in accordance with Section 53.9 of the 2016 Revised Implementing Rules and Regulation of Republic Act No. 9184

Please quote your **best offer** for the item described herein, **subject to the Terms and Conditions** provided at the last page of this Request for Quotation (RFQ). Submit your quotation duly signed by you or your representative **not later than (02 July 2021 , 01:00 P.M.)** at the MARINA Record Section, 2nd Floor MARINA Building, Bonifacio Drive cor. 20th Street, Port Area, Manila, Philippines. Open submission may be submitted, manually or through email at 2021marinabac@gmail.com with the Subject Title: Quotation Re. **PROCUREMENT OF ALL IN ONE PRINTER AND UNINTERRUPTIBLE POWER SUPPLY (UPS)** .

A copy of your **2021 Business/Mayor's Permit¹**, **PhilGEPS Registration Number**, **Latest Income Tax Return** and **Omnibus Sworn Statement²** are required to be submitted along with your quotation/proposal.

For any clarification, you may contact us at cellphone no. (0906) 805-4489 or email address at 2021marinabac@gmail.com.

VADM RENE V MEDINA AFP (RET)
MARINA BAC Chairperson

¹ In case of recently expired Mayor's/Business permit, it shall be accepted together with its official receipt as proof that the bidder has applied for renewal within the period prescribed by the concerned local government unit, provided that the renewed permit shall be submitted after award of contract but before payment in accordance with item 6.2 of Government Procurement Policy Board (GPPB) Resolution No. 09-2020.

² In case of Unnotarized Omnibus Sworn Statement, it shall be accepted, provided that the notarized Omnibus Sworn Statement shall be submitted after award of contract but before payment in accordance with item 6.3 of GPPB No. 09-2020.

MARINA Building
20th Street corner Bonifacio Drive
1018 Port Area (South), Manila

Tel. Nos: (632) 523-9078 / 526-0971
Fax No: (632) 524-2895
Website: www.marina.gov.ph

DATE: _____

NAME OF COMPANY:

ADDRESS:

COMPANY ADDRESS:

COMPANY TIN NUMBER:

PHILGEPS REGISTRATION NUMBER:

NAME OF REPRESENTATIVE & DESIGNATION:

INSTRUCTIONS:

(1) Accomplish this RFQ correctly and accurately.

(2) Do not alter the content of this form in any way.

(3) All technical specifications are mandatory. Failure to comply with any of the mandatory requirements will disqualify your quotation.

(4) Failure to follow these instructions will disqualify your entire quotation.

Bidder’s must state here either “Comply” or any equivalent term in the column “Bidder’s Statement of Compliance” against each of the individual parameters of each specification.

After having carefully read and accepted the Terms and Conditions in the Request for Quotation, hereunder is our quotation for the item/s as follows:

PROCUREMENT OF ALL IN ONE PRINTER AND UNINTERRUPTIBLE POWER SUPPLY (UPS)						
Item No.	Unit	Specification		Qty	Unit Cost	Total Cost
1	Pcs	ALL IN ONE PRINTER		6		
		Printing Method	Print head			
		Ink Technology	Dye Ink			
		Printing Resolution	5,760 x 1,440 DPI			
		All-in-One Functions	Print, Scan, Copy, Fax			
		Printing Speed	10 pages/min Monochrome, 5 pages/min Color			
		Printing Speed	33 pages/min Monochrome (plain paper 75 g/m²), 15 pages/min Color (plain paper 75 g/m²), 69 Seconds per 10 x 15 cm photo (Epson Premium Glossy Photo Paper)			
		Colors	Black, Cyan, Yellow, Magenta			
1	Pcs	Single-sided scan speed (A4 black)	200 dpi (with ADF), 4.5 ipm with ADF scan 200 dpi (flatbed) 12 sec. with flatbed scan	6		
		Single-sided scan speed (A4 color)	200 dpi (with ADF), 4.5 ipm with ADF scan 200 dpi (flatbed) 29 sec. with flatbed scan			

		Scanning Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)				
		Output formats	BMP, JPEG, TIFF, PDF				
		Scanner type	Contact image sensor (CIS)				
		Type of fax	Walk-up black and white and color fax capability				
		Fax speed dials (max)	100 names and numbers				
		Page memory	up to 100 pages (ITU-T No.1 chart)				
		Fax Functions	PC Fax, Auto Redial, Address Book, Delay Send, Broadcast Fax				
		Number of paper trays	1				
		Paper Formats	10 x 15 cm, Letter, No. 10 (Envelope), DL (Envelope), C6 (Envelope), B5, A6, A5, A4, Legal, 16:9, User defined, 13 x 18 cm				
		Duplex	Manual				
		Automatic Document Feeder	30 pages				
		Output Tray Capacity	30 Sheets				
		multifunction	100 Sheets Standard, 100 Sheets Maximum, 20 Photo Sheets				
		Compatible Paper Weight	64 g/m² - 300 g/m²				
		Media Handling	Borderless print				
1	Pcs	Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern), 0.7 Watt (sleep mode), 4.3 Watt (ready), 0.2 Watt (Power off)	6			
		Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz				
		Product dimensions	375 x 347 x 237 mm (Width x Depth x Height)				
		Product weight	5 kg				

		Noise Level	6.5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 52 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode				
		Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, Windows Server 2003 R2, Windows XP Professional x64 Edition SP2				
		Interfaces	WiFi, USB, Ethernet, Wi-Fi Direct				
		WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES)				

The delivery schedule expressed as week/months stipulates hereafter a delivery date which is the date to the project site.

PROCUREMENT OF ALL IN ONE PRINTER AND UNINTERRUPTIBLE POWER SUPPLY (UPS)					
Item No.	Unit	Specification		Qty	Delivery Date**
1	Pcs	ALL IN ONE PRINTER		6	Thirty (30) calendar days upon receipt of NTP and PO
		Printing Method	Print head		
		Ink Technology	Dye Ink		
		Printing Resolution	5,760 x 1,440 DPI		
		All-in-One Functions	Print, Scan, Copy, Fax		
		Printing Speed	10 pages/min Monochrome, 5 pages/min Color		
		Printing Speed	33 pages/min Monochrome (plain paper 75 g/m²), 15 pages/min Color (plain paper 75 g/m²), 69 Seconds per 10 x 15 cm photo (Epson Premium Glossy Photo Paper)		
		Colors	Black, Cyan, Yellow, Magenta		
		Single-sided scan speed (A4 black)	200 dpi (with ADF), 4.5 ipm with ADF scan 200 dpi (flatbed) 12 sec. with flatbed scan		
		Single-sided scan speed (A4 color)	200 dpi (with ADF), 4.5 ipm with ADF scan 200 dpi (flatbed) 29 sec. with flatbed scan		
		Scanning Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)		
		Output formats	BMP, JPEG, TIFF, PDF		
		Scanner type	Contact image sensor (CIS)		
		Type of fax	Walk-up black and white and color fax capability		
		Fax speed dials (max)	100 names and numbers		
		Page memory	up to 100 pages (ITU-T No.1 chart)		
		Fax Functions	PC Fax, Auto Redial, Address Book, Delay Send, Broadcast Fax		
		Number of paper trays	1		
		Paper Formats	10 x 15 cm, Letter, No. 10 (Envelope), DL (Envelope), C6 (Envelope), B5, A6, A5, A4, Legal, 16:9, User defined, 13 x 18 cm		
		Duplex	Manual		
		Automatic Document Feeder	30 pages		
		Output Tray Capacity	30 Sheets		
		multifunction	100 Sheets Standard, 100 Sheets Maximum, 20 Photo Sheets		
		Compatible Paper Weight	64 g/m² - 300 g/m²		
		Media Handling	Borderless print		

		<table><tr><td>Energy Use</td><td>12 Watt (standalone copying, ISO/IEC 24712 pattern), 0.7 Watt (sleep mode), 4.3 Watt (ready), 0.2 Watt (Power off)</td></tr><tr><td>Supply Voltage</td><td>AC 100 V - 240 V, 50 Hz - 60 Hz</td></tr><tr><td>Product dimensions</td><td>375 x 347 x 237 mm (Width x Depth x Height)</td></tr><tr><td>Product weight</td><td>5 kg</td></tr><tr><td>Noise Level</td><td>6.5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 52 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode</td></tr><tr><td>Compatible Operating Systems</td><td>Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, Windows Server 2003 R2, Windows XP Professional x64 Edition SP2</td></tr><tr><td>Interfaces</td><td>WiFi, USB, Ethernet, Wi-Fi Direct</td></tr><tr><td>WLAN Security</td><td>WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES)</td></tr></table>	Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern), 0.7 Watt (sleep mode), 4.3 Watt (ready), 0.2 Watt (Power off)	Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz	Product dimensions	375 x 347 x 237 mm (Width x Depth x Height)	Product weight	5 kg	Noise Level	6.5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 52 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode	Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, Windows Server 2003 R2, Windows XP Professional x64 Edition SP2	Interfaces	WiFi, USB, Ethernet, Wi-Fi Direct	WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES)	6																											
Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern), 0.7 Watt (sleep mode), 4.3 Watt (ready), 0.2 Watt (Power off)																																													
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz																																													
Product dimensions	375 x 347 x 237 mm (Width x Depth x Height)																																													
Product weight	5 kg																																													
Noise Level	6.5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 52 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode																																													
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, Windows Server 2003 R2, Windows XP Professional x64 Edition SP2																																													
Interfaces	WiFi, USB, Ethernet, Wi-Fi Direct																																													
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES)																																													
2	Pcs	<table><tr><td colspan="2"><u>UNINTERRUPTIBLE POWER SUPPLY</u></td></tr><tr><td colspan="2">General</td></tr><tr><td>Topology :</td><td>Line Interactive with Automatic Voltage Regulation</td></tr><tr><td>Configuration :</td><td>Tower</td></tr><tr><td>Rating (VA/Watts) :</td><td>650VA/360W</td></tr><tr><td colspan="2">Electrical Input</td></tr><tr><td>Connection :</td><td>(1) IEC-320-C14</td></tr><tr><td>Input Voltage Range :</td><td>170-280V</td></tr><tr><td>Nominal Voltage :</td><td>230 V</td></tr><tr><td>Operating Frequency :</td><td>50/60Hz</td></tr><tr><td colspan="2">Electrical Output</td></tr><tr><td>Nominal Voltage :</td><td>230V</td></tr><tr><td>Outlets :</td><td>(4) IEC-320-C13</td></tr><tr><td>Topology :</td><td>Line Interactive with Automatic Voltage Regulation</td></tr><tr><td>Configuration :</td><td>Tower</td></tr><tr><td>Rating (VA/Watts) :</td><td>650VA/360W</td></tr><tr><td>Weight (kg) :</td><td>4.6</td></tr><tr><td>Electrical InputConnection :</td><td>(1) IEC-320-C14</td></tr><tr><td>Input Voltage Range :</td><td>170-264V</td></tr><tr><td>Nominal Voltage :</td><td>230 V</td></tr><tr><td>Operating Frequency :</td><td>50/60Hz</td></tr></table>	<u>UNINTERRUPTIBLE POWER SUPPLY</u>		General		Topology :	Line Interactive with Automatic Voltage Regulation	Configuration :	Tower	Rating (VA/Watts) :	650VA/360W	Electrical Input		Connection :	(1) IEC-320-C14	Input Voltage Range :	170-280V	Nominal Voltage :	230 V	Operating Frequency :	50/60Hz	Electrical Output		Nominal Voltage :	230V	Outlets :	(4) IEC-320-C13	Topology :	Line Interactive with Automatic Voltage Regulation	Configuration :	Tower	Rating (VA/Watts) :	650VA/360W	Weight (kg) :	4.6	Electrical InputConnection :	(1) IEC-320-C14	Input Voltage Range :	170-264V	Nominal Voltage :	230 V	Operating Frequency :	50/60Hz	6	Thirty (30) calendar days upon receipt of NTP and PO
<u>UNINTERRUPTIBLE POWER SUPPLY</u>																																														
General																																														
Topology :	Line Interactive with Automatic Voltage Regulation																																													
Configuration :	Tower																																													
Rating (VA/Watts) :	650VA/360W																																													
Electrical Input																																														
Connection :	(1) IEC-320-C14																																													
Input Voltage Range :	170-280V																																													
Nominal Voltage :	230 V																																													
Operating Frequency :	50/60Hz																																													
Electrical Output																																														
Nominal Voltage :	230V																																													
Outlets :	(4) IEC-320-C13																																													
Topology :	Line Interactive with Automatic Voltage Regulation																																													
Configuration :	Tower																																													
Rating (VA/Watts) :	650VA/360W																																													
Weight (kg) :	4.6																																													
Electrical InputConnection :	(1) IEC-320-C14																																													
Input Voltage Range :	170-264V																																													
Nominal Voltage :	230 V																																													
Operating Frequency :	50/60Hz																																													

FINANCIAL OFFER:

Please quote your **best for** the item below. Please do not leave any blank items. Indicate “0” if item being offered is for free.

PROCUREMENT OF ALL IN ONE PRINTER AND UNINTERRUPTIBLE POWER SUPPLY (UPS)	
Approved Budget for the Contract (ABC)	Total Offered Quotation
One Hundred Forty-Nine Thousand Seven Hundred Pesos (Php149,700.00)	In words: _____

	In figures: _____

PAYMENT DETAILS:

Banking Institution:	_____
Account Number:	_____
Account Name:	_____
Branch:	_____

Signature over Printed Name
Position/Designation
Office Telephone No.
Fax/Mobile No.
Email Address/es

TERMS AND CONDITIONS:

1. Bidders shall provide correct and accurate information required in this form.
2. Price quotation/s must be valid for a period of *thirty (30) calendar days* from the date of submission.
3. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
4. Quotations exceeding the Approved Budget for the Contract shall be rejected.
5. Award of contract shall be made to lowest calculated and responsive quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
8. The MARINA shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
9. In case two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the MARINA-BAC shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
10. **Payment shall be processed after delivery and upon the submission of the required supporting documents, in accordance with existing accounting rules and regulations. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the contractor's account.**
11. Liquidated damages equivalent to one tenth of one percent (0.1%) of value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The MARINA shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract. Without prejudice to other courses of action and remedies open to it.

Signature over Printed Name

Position/Designation

ALL IN ONE PRINTER

Printing Method	Print head
Ink Technology	Dye Ink
Printing Resolution	5,760 x 1,440 DPI
All-in-One Functions	Print, Scan, Copy, Fax
Printing Speed	10 pages/min Monochrome, 5 pages/min Color
Printing Speed	33 pages/min Monochrome (plain paper 75 g/m ²), 15 pages/min Color (plain paper 75 g/m ²), 69 Seconds per 10 x 15 cm photo (Epson Premium Glossy Photo Paper)
Colors	Black, Cyan, Yellow, Magenta
Single-sided scan speed (A4 black)	200 dpi (with ADF), 4.5 ipm with ADF scan 200 dpi (flatbed) 12 sec. with flatbed scan
Single-sided scan speed (A4 color)	200 dpi (with ADF), 4.5 ipm with ADF scan 200 dpi (flatbed) 29 sec. with flatbed scan
Scanning Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, TIFF, PDF
Scanner type	Contact image sensor (CIS)
Type of fax	Walk-up black and white and color fax capability
Fax speed dials (max)	100 names and numbers
Page memory	up to 100 pages (ITU-T No.1 chart)
Fax Functions	PC Fax, Auto Redial, Address Book, Delay Send, Broadcast Fax
Number of paper trays	1
Paper Formats	10 x 15 cm, Letter, No. 10 (Envelope), DL (Envelope), C6 (Envelope), B5, A6, A5, A4, Legal, 16:9, User defined, 13 x 18 cm
Duplex	Manual
Automatic Document Feeder	30 pages
Output Tray Capacity	30 Sheets
multifunction	100 Sheets Standard, 100 Sheets Maximum, 20 Photo Sheets
Compatible Paper Weight	64 g/m ² - 300 g/m ²
Media Handling	Borderless print
Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern),

	0.7 Watt (sleep mode), 4.3 Watt (ready), 0.2 Watt (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	375 x 347 x 237 mm (Width x Depth x Height)
Product weight	5 kg
Noise Level	6.5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 52 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, Windows Server 2003 R2, Windows XP Professional x64 Edition SP2
Interfaces	WiFi, USB, Ethernet, Wi-Fi Direct
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES)

UNINTERRUPTIBLE POWER SUPPLY FOR WORKSTATION

General

Topology : Line Interactive with Automatic Voltage Regulation
Configuration : Tower
Rating (VA/Watts) : 650VA/360W

Electrical Input

Connection : (1) IEC-320-C14
Input Voltage Range : 170-280V
Nominal Voltage : 230 V
Operating Frequency : 50/60Hz

Electrical Output

Nominal Voltage : 230V
Outlets : (4) IEC-320-C13
Topology : Line Interactive with Automatic Voltage Regulation
Configuration : Tower
Rating (VA/Watts) : 650VA/360W
Weight (kg) : 4.6
Electrical InputConnection : (1) IEC-320-C14
Input Voltage Range : 170-264V
Nominal Voltage : 230 V
Operating Frequency : 50/60Hz

Note: Please indicate specific purpose other than "for official use of the Office." (e.g. monthly regular supplies, as per APP. special projects, etc.)

Omnibus Sworn Statement (Revised)

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the

BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of __, 20__ at _____, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]