



REPUBLIC OF THE PHILIPPINES  
DEPARTMENT OF TRANSPORTATION  
MARITIME INDUSTRY AUTHORITY

**SUPPLY, DELIVERY, AND INSTALLATION OF LED VIDEO WALL (INDOOR & OUTDOOR) FOR THE MARITIME INDUSTRY AUTHORITY (MARINA)**

**PUBLIC BIDDING NO. 2025-03  
SUPPLEMENTAL/BID BULLETIN NO. 01**

Attention: All prospective bidder/s for the project: BID REFERENCE NO. 2025-03:  
**SUPPLY, DELIVERY, AND INSTALLATION OF LED VIDEO WALL (INDOOR & OUTDOOR) FOR THE MARITIME INDUSTRY AUTHORITY (MARINA)**  
(ABC: Php 2,000,000.00)

This Supplemental/Bid Bulletin is issued to amend/clarify/modify the following:

ORIGINAL PROVISION		AMENDMENT/REVISIONS									
<b>SECTION I. Invitation to Bid</b> <b>Item No. 10</b>											
<table><tr><th>ACTIVITIES</th><th>DATE/TIME</th></tr><tr><td>2. Sale and Issuance of Bid Documents</td><td><b>April 14, 2025 to May 8, 2025</b> 9:00 A.M. to 4:00 P.M. (except on May 6, 2025 which will be until 10:00 AM only)</td></tr></table>	ACTIVITIES	DATE/TIME	2. Sale and Issuance of Bid Documents	<b>April 14, 2025 to May 8, 2025</b> 9:00 A.M. to 4:00 P.M. (except on May 6, 2025 which will be until 10:00 AM only)		<table><tr><th>ACTIVITIES</th><th>DATE/TIME</th></tr><tr><td>2. Sale and Issuance of Bid Documents</td><td><b>April 14, 2025 to May 8, 2025</b> 9:00 A.M. to 4:00 P.M. (except on <b>May 8, 2025</b> which will be until 10:00 AM only)</td></tr></table>	ACTIVITIES	DATE/TIME	2. Sale and Issuance of Bid Documents	<b>April 14, 2025 to May 8, 2025</b> 9:00 A.M. to 4:00 P.M. (except on <b>May 8, 2025</b> which will be until 10:00 AM only)	
ACTIVITIES	DATE/TIME										
2. Sale and Issuance of Bid Documents	<b>April 14, 2025 to May 8, 2025</b> 9:00 A.M. to 4:00 P.M. (except on May 6, 2025 which will be until 10:00 AM only)										
ACTIVITIES	DATE/TIME										
2. Sale and Issuance of Bid Documents	<b>April 14, 2025 to May 8, 2025</b> 9:00 A.M. to 4:00 P.M. (except on <b>May 8, 2025</b> which will be until 10:00 AM only)										
<b>SECTION VII. Technical Specifications</b> <b>Pages 23-24</b>  <b>Below are the minimum specifications of the (1) LED Display Video Wall (Indoor) to be procured:</b> <ul style="list-style-type: none"><li>- Pixel Pitch (mm): 1.53</li><li>- Pixel Density (dot) m2: 422500</li><li>- Cabinet Resolution (Pixel): 624 x 624 Pixels</li><li>- Proposed Display Area (FT) (W*H): 4m x 2.56m = 10.24sqm 25x8 module</li><li>- Panel Size (mm): 160x320</li><li>- Module Resolution (Pixel): 104x208</li><li>- Luminance(cd/m2): 0-800 adjustable</li><li>- Horizontal viewing angle (°):≥160</li><li>- Vertical viewing angle (°):≥140</li><li>- Best Viewing Distance: 2.3</li><li>- Grayscale (Bit): 12-14</li><li>- Refresh Frequency: &gt;1920</li><li>- Operating temperature: -20°C~+50°C</li><li>- Max. Power Consumption(W/m2):≤800</li><li>- Ave. Power Consumption(W/m2):≤300</li><li>- Led Lifespan: 100,000 hours</li><li>- With video processor</li></ul>		<b>Below are the minimum specifications of the (1) LED Display Video Wall (Indoor) to be procured:</b> <ul style="list-style-type: none"><li>- Pixel Pitch (mm): 1.53</li><li>- Pixel Density (dot) m2: 422500</li><li>- Cabinet Resolution (Pixel): 624 x 624 Pixels</li><li>- Proposed Display Area (FT) (W*H): 4m x 2.56m = 10.24sqm 25x8 module</li><li>- Panel Size (mm): 160x320</li><li>- Module Resolution (Pixel): 104x208</li><li>- Luminance(cd/m2): 0-800 adjustable</li><li>- Horizontal viewing angle (°):≥160</li><li>- Vertical viewing angle (°):≥140</li><li>- Best Viewing Distance: 2.3</li><li>- Grayscale (Bit): 12-14</li><li>- Refresh Frequency: &gt;1920</li><li>- Operating temperature: -20°C~+50°C</li><li>- Max. Power Consumption(W/m2):≤800</li><li>- Ave. Power Consumption(W/m2):≤300</li><li>- Led Lifespan: 100,000 hours</li><li>- With video processor</li><li>- <b>With flight case</b></li></ul>									

<ul style="list-style-type: none"> <li>- With Color Light System</li> <li>- With framing structure system</li> <li>- Warranty: One (1) year on parts and service</li> </ul> <p><b>Below are the minimum specifications of the (1) LED Display Video Wall (Outdoor) to be procured:</b></p> <ul style="list-style-type: none"> <li>- Pixel Pitch (mm): 3.91</li> <li>- Pixel Density (dot) m2: 65536</li> <li>- Cabinet Dimension: 500x500mm</li> <li>- Cabinet Resolution (Pixel):128 x 128</li> <li>- Proposed Display Area (W*H): 9ft x 14ft</li> <li>- Panel Size (mm): 250x250</li> <li>- Panel Resolution (Pixel): 64 x 64</li> <li>- Luminance(cd/m2): 4000</li> <li>- Horizontal viewing angle (°):120</li> <li>- Vertical viewing angle (°):120</li> <li>- Best Viewing Distance: ≥4.5</li> <li>- Grayscale (Bit): 12-14</li> <li>- Refresh Frequency: &gt;1920</li> <li>- Operating temperature: -20°C~+50°C</li> <li>- Max. Power Consumption(W/m2):≤800</li> <li>- Ave. Power Consumption(W/m2):≤200</li> <li>- Led Lifespan: 100,000 hours</li> <li>- With video processor</li> <li>- With flight case</li> <li>- With framing structure system</li> <li>- Warranty: One (1) year on parts and service</li> </ul> <p><b>TRANSFER OF TECHNOLOGY</b></p> <ol style="list-style-type: none"> <li>1. Appropriate manuals (User and Operational Manuals) shall be provided by the winning bidder to MARINA.</li> <li>2. Training and technology transfer should be conducted.</li> </ol>	<ul style="list-style-type: none"> <li>- With Color Light System</li> <li>- With framing structure system</li> <li>- Warranty: One (1) year on parts and service</li> <li>- <b>With 90 meters of Signal Cable</b></li> <li>- <b>Electrical cables, roughing-ins, and other materials needed for the installation of LED Video Wall (Indoor)</b></li> </ul> <p><b>Below are the minimum specifications of the (1) LED Display Video Wall (Outdoor) to be procured:</b></p> <ul style="list-style-type: none"> <li>- Pixel Pitch (mm): 3.91</li> <li>- Pixel Density (dot) m2: 65536</li> <li>- Cabinet Dimension: 500x500mm</li> <li>- Cabinet Resolution (Pixel):128 x 128</li> <li>- <b>Proposed Display Area (H*W): 9ft x 14ft</b></li> <li>- Panel Size (mm): 250x250</li> <li>- Panel Resolution (Pixel): 64 x 64</li> <li>- Luminance(cd/m2): 4000</li> <li>- Horizontal viewing angle (°):120</li> <li>- Vertical viewing angle (°):120</li> <li>- Best Viewing Distance: ≥4.5</li> <li>- Grayscale (Bit): 12-14</li> <li>- Refresh Frequency: &gt;1920</li> <li>- Operating temperature: -20°C~+50°C</li> <li>- Max. Power Consumption(W/m2):≤800</li> <li>- Ave. Power Consumption(W/m2):≤200</li> <li>- Led Lifespan: 100,000 hours</li> <li>- With video processor</li> <li>- With flight case</li> <li>- With framing structure system</li> <li>- Warranty: One (1) year on parts and service</li> <li>- <b>With 90 meters of Signal Cable</b></li> <li>- <b>Electrical cables, roughing-ins, and other materials needed for the installation of LED Video Wall (Outdoor)</b></li> </ul> <p><b>TRANSFER OF TECHNOLOGY</b></p> <ol style="list-style-type: none"> <li>1. Appropriate manuals (User and Operational Manuals) shall be provided by the winning bidder to MARINA.</li> <li>2. Training and technology transfer should be conducted.</li> </ol>
---	---

This shall form an integral part of the Bidding Documents.

For the guidance and information of all concerned.

Issued on 29 April 2025.

  
**Atty. MARIA ROWENA B. HUBILLA**  
Chairperson  
MARINA Bids and Awards Committee