



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF TRANSPORTATION
MARITIME INDUSTRY AUTHORITY

REQUEST FOR QUOTATION

Date: _____

Company/Business Name: _____

Address: _____

Business/Mayor's Permit No.: _____

TIN: _____

PhilGEPS Registration Number (required): _____

The **Maritime Industry Authority (MARINA)**, through its Bids and Awards Committee (BAC), intends to procure **WIRELESS ACCESS POINT WITH NETWORK MONITORING (2nd posting)**, in accordance with Section 34 Small Value Procurement of the Implementing Rules and Regulations of Republic Act No. 12009 or The New Government Procurement Act. The Approved Budget for the Contract (ABC) is **One Million Pesos (₱1,000,000.00) inclusive of all applicable government charges.**

Please submit your duly signed quotation addressed to the Bids and Awards Committee (BAC) Chairperson and to the given address below, on or before **9:00AM of 23 December 2025**, subject to compliance with the Terms and Conditions provided on this Request for Quotation (RFQ):

Mr. JOSE LOUIE B. BANUA

BAC Chairperson

MARINA BAC Office, 10th Floor MARINA Building,
Bonifacio Drive cor., 20th Street, Port Area, Manila, Philippines.

Telephone No.: **+632) 8524-6518**

Email: bacsec@marina.gov.ph

Interested service provider shall also submit a copy of the following documents and along with the quotation on or before the above specified deadline of submission of quotation:

- a. Valid Mayor's/Business Permit
- b. Valid PhilGEPS Registration

The Supplier/ Service Provider with the Single/Lowest Calculated Quotation shall submit its **Omnibus Sworn Statement (GPPB – Prescribed forms), Income/Business Tax Return (for ABC's above Php500k)** within a non-extendible period of five (5) calendar days from the receipt of the notice of Single/Lowest Calculated Quotation.

The Head of the Procuring Entity (HoPE) of the MARINA reserves the right to reject any and all quotations, declare a failure of procurement, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

For clarification, you may contact the BAC Secretariat at **+632 8524-6518** or at bacsec@marina.gov.ph.

Ms. MELLANIE T. BALIN

Head, Bids and Awards Committee Secretariat

MARINA Building
20th Street corner Bonifacio Drive
1018 Port Area (South), Manila
Philippines

Tel. No.: (632) 8523-9078
Email: oadm@marina.gov.ph
Website: <https://marina.gov.ph>

INSTRUCTIONS:

Note: Failure to follow these instructions will disqualify your entire quotation.

(1) Do not alter the contents of this form in any way.

(2) The use of this RFQ is highly encouraged to minimize errors or omissions of the required mandatory provisions. In case of any changes, bidders must use or refer to the latest version of the RFQ, except when the latest version of the RFQ only pertains to deadline extension.

If another form is used other than the latest RFQ, the quotation shall contain all the mandatory requirements/provisions including manifestation on the agreement with the Terms and Conditions below.

In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there are discrepancies. In this case, provisions in the RFQ shall prevail.

(3) All technical specifications must be complied with. Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.

(4) Quotations may be submitted through electronic mail at bacsec@marina.gov.ph.

(5) Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the e-mail shall be considered.

TERMS AND CONDITIONS:

1. Bidders shall provide correct and accurate information required in this form.
2. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
3. Price quotation/s must be valid for a period of **FORTY-FIVE (45) calendar days** from the date of submission.
4. Price quotation/s, to be denominated in Philippine pesos, shall include all taxes, duties, and/or levies payable.
5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
6. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the MARINA shall adopt and employ “draw lots” as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
7. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
8. The item/s shall be delivered according to the accepted offer of the bidder.
9. Item/s delivered shall be inspected on the scheduled date and time of the MARINA. The delivery of the item/s shall be acknowledged upon delivery to confirm the compliance with the technical specifications.
10. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e. Order Slip and/or Billing Statement, by the supplier, contractor, or consultant. Our Government Servicing Bank, i.e., the Land Bank of the Philippines, shall credit the amount due to the identified bank account of the supplier, contractor, or consultant **not earlier than twenty-four (24) hours, but not later than forty-eight (48) hours**, upon receipt of our advice. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the account of the supplier, contractor, or consultant in accordance with existing accounting rules and regulations. Please note that the **corresponding bank transfer fee, if any, shall be chargeable to the supplier’s account.**
11. Liquidated damages equivalent to one tenth of one percent (0.1%) of value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The MARINA may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract without prejudice to other courses of action and remedies open to it.
12. The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 9184 and its updated 2016 revised IRR.
13. The RFQ, Purchase Order (PO), and other related documents for the above-stated Procurement project/s shall be deemed to form part of the contract.

After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

SPECIFICATION	Quantity	Statement of Compliance ("Comply" or "Not Comply")	Unit Cost (Vat Inclusive)	Total Cost (Vat Inclusive)
WIRELESS ACCESS POINT WITH NETWORK MONITORING				
<ul style="list-style-type: none"> • WIRELESS ACCESS POINT: Physical & Mounting <ul style="list-style-type: none"> • Mounting: Ceiling or wall (mounting hardware included) • Weatherproofing: IP54 or equivalent Wireless & Performance <ul style="list-style-type: none"> • Wi-Fi Standard: Wi-Fi 6 • Spatial Streams: 8 streams or equivalent • Coverage Area: Medium to large rooms (~185 m² / 2,000 ft²) • Maximum Client Count: Supports 300+ simultaneous devices • MIMO Configuration: <ul style="list-style-type: none"> ○ 5 GHz: 4x4 MU-MIMO ○ 2.4 GHz: 4x4 SU-MIMO • Maximum Data Rate: <ul style="list-style-type: none"> ○ 5 GHz: up to 2.4 Gbps ○ 2.4 GHz: up to 600 Mbps • Antenna Gain: Approx. 4-6 dBi per band • Maximum Transmit Power: Approx. 26 dBm per band Networking & Power <ul style="list-style-type: none"> • Uplink: Gigabit Ethernet (GbE) • Power Method: PoE+ (802.3at or equivalent) <p>B. ADAPTER</p> <ul style="list-style-type: none"> Functionality <ul style="list-style-type: none"> • Powers PoE+ devices with wireless mesh applications or offloads PoE switch power dependencies • Delivers up to 30W of PoE+ • Provides additional power for devices such as U6 LR, U6 Enterprise, Camera DSLR, and other PoE+ devices Power Adapter <ul style="list-style-type: none"> • Output Voltage: 48 V DC • Output Current: 0.5 A 	40			
	40			

<p>Ethernet</p> <ul style="list-style-type: none"> • Port Speed: 1 Gbps • Powering: 2-Pair PoE+ • Connections: RJ45 data input, PoE+ output, AC cable with earth ground <p>Protection Features</p> <ul style="list-style-type: none"> • Surge protection • Peak pulse protection • Overcurrent protection <p>Indicators</p> <ul style="list-style-type: none"> • LED indicator for status monitoring <p>C. CONTROLLER</p> <p>Performance</p> <ul style="list-style-type: none"> • Supports 100+ devices • 1,000+ client support • 3.5+ Gbps routing with IDS/IPS <p>Applications</p> <ul style="list-style-type: none"> • Includes full application for device management and wireless network monitoring. <p>Ports</p> <ul style="list-style-type: none"> • LAN: 1 x 10G SFP+, 8 x GbE RJ45 • WAN: 1 x 10G SFP+, 1 x GbE RJ45 <p>Storage</p> <ul style="list-style-type: none"> • 3.5" NVR HDD bay <p>Power</p> <ul style="list-style-type: none"> • Power Backup ready <p>Display</p> <ul style="list-style-type: none"> • 1.3" touchscreen 	1			
<p><u>INSTALLATION:</u></p> <ul style="list-style-type: none"> • Assembly and Mounting: Assemble and securely mount the Wireless Access Points (WAPs) at designated locations. • Support and Fittings: Supply and install all necessary supports, brackets, and fittings to ensure proper and secure installation. • Cabling: Supply and install Category 6 (CAT 6) UTP Ethernet cable designed for high-speed indoor deployments, featuring: <ul style="list-style-type: none"> - Communications multipurpose cable with Riser (CMR)-rated, fire-resistant jacket 	<p>Statement of Compliance ("Comply" or "Not Comply")</p>			

<ul style="list-style-type: none"> - Anti-crosstalk divider for improved signal integrity • Termination: Perform proper cable termination in compliance with industry standards. • Programming and Configuration: Configure and program the Wireless Access Points for optimized performance and seamless connectivity. • Site Restoration: Clean and retouch all affected areas to restore them to their original condition post-installation. • Testing and Commissioning: Conduct comprehensive testing and commissioning to ensure full functionality and readiness for operational use. 	
<p><u>WARRANTY:</u></p>	<p align="center">Statement of Compliance ("Comply" or "Not Comply")</p>
<ul style="list-style-type: none"> • Warranty Coverage: Three (3) years on parts and labor, with on-site support included. • Response Time: In the event of any technical problem within the warranty period, a qualified service engineer must report on-site within four (4) hours to address and resolve the issue. • Replacement Provision: In case of any defect within the warranty period, if the unit cannot be repaired within twenty-four (24) hours from the time the issue is reported, the supplier shall provide a replacement or service unit of the same or higher specifications, free of charge. 	
<p><u>DELIVERY:</u></p>	<p align="center">Statement of Compliance ("Comply" or "Not Comply")</p>
<p>Thirty (30) Calendar Days upon Receipt of Purchase Order.</p>	
<p><u>PAYMENT TERMS:</u></p>	<p align="center">Statement of Compliance ("Comply" or "Not Comply")</p>
<p>The payment shall be made upon issuance of the Billing Statement on a Bank-to-Bank basis. Automatic Debit Arrangement (ADA) through Land Bank of the Philippines (LBP) facilities, for other Commercial Bank, applicable bank charges shall be for the account of supplier. The supplier shall submit bank details together with billing statement/invoice for ready reference.</p>	

<u>DOCUMENTARY REQUIREMENTS:</u>	Statement of Compliance ("Comply" or "Not Comply")
<ul style="list-style-type: none"> Copy of the Mayor's Permit issued by the city or municipality where the principal place of business of the prospective bidder is located; and 	
<ul style="list-style-type: none"> Valid PhilGEPS Registration. 	

FINANCIAL OFFER

<p><u>Terms of Payment:</u></p> <p><i>Within fifteen to thirty (15-30) calendar days upon receipt of billing invoice/Statement of Account and issuance of Inspection and Acceptance report by the MARINA;</i></p>
<p><u>Payment Details:</u></p> <p><i>Banking Institution :</i> _____</p> <p><i>Account Number :</i> _____</p> <p><i>Account Name</i> <i>(should be the exact account name as registered in the bank):</i> _____</p> <p><i>Bank Branch :</i> _____</p>

Please quote your best offer for the item/s below. Please do not leave any blank items. Indicate "0" if item being offered is for free.

WIRELESS ACCESS POINT WITH NETWORK MONITORING (2nd posting)	
Approved Budget for the Contract (ABC)	Total Offered Quotation
One Million Pesos (₱1,000,000.00)	<p>In words: _____</p> <p>_____</p> <p>_____</p> <p>In figures: _____</p> <p>_____</p>

Signature over Printed Name

Position/Designation

Office Telephone/Fax/Mobile Nos.

Email address/es



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF TRANSPORTATION
MARITIME INDUSTRY AUTHORITY

TECHNICAL SPECIFICATIONS

Project Description	WIRELESS ACCESS POINT WITH NETWORK MONITORING								
Approved Budget for the Contract	The supplier shall bid for all items described in this Technical Specifications, which shall not exceed the Approved Budget Contract (ABC) in the amount of One Million Pesos ₱1,000,000.00 , inclusive of all applicable government charges.								
Specifications/ Deliverables (Ex. Size, color, materials used and other specs requirements)	<table border="1" data-bbox="501 555 1417 734"><thead><tr><th data-bbox="501 555 1050 618">Item</th><th data-bbox="1050 555 1417 618">Quantity</th></tr></thead><tbody><tr><td data-bbox="501 618 1050 658">Wireless Access Point</td><td data-bbox="1050 618 1417 658">40</td></tr><tr><td data-bbox="501 658 1050 698">Adapter</td><td data-bbox="1050 658 1417 698">40</td></tr><tr><td data-bbox="501 698 1050 734">Controller</td><td data-bbox="1050 698 1417 734">1</td></tr></tbody></table> <p data-bbox="501 801 906 837">A. WIRELESS ACCESS POINT</p> <p data-bbox="501 837 778 873">Physical & Mounting</p> <ul data-bbox="545 869 1264 940" style="list-style-type: none">● Mounting: Ceiling or wall (mounting hardware included)● Weatherproofing: IP54 or equivalent) <p data-bbox="501 940 826 976">Wireless & Performance</p> <ul data-bbox="545 972 1337 1379" style="list-style-type: none">● Wi-Fi Standard: Wi-Fi 6● Spatial Streams: 8 streams or equivalent● Coverage Area: Medium to large rooms (~185 m² / 2,000 ft²)● Maximum Client Count: Supports 300+ simultaneous devices● MIMO Configuration:<ul data-bbox="625 1137 960 1209" style="list-style-type: none">○ 5 GHz: 4x4 MU-MIMO○ 2.4 GHz: 4x4 SU-MIMO● Maximum Data Rate:<ul data-bbox="625 1240 976 1312" style="list-style-type: none">○ 5 GHz: up to 2.4 Gbps○ 2.4 GHz: up to 600 Mbps● Antenna Gain: Approx. 4–6 dBi per band● Maximum Transmit Power: Approx. 26 dBm per band <p data-bbox="501 1379 778 1415">Networking & Power</p> <ul data-bbox="545 1411 1136 1482" style="list-style-type: none">● Uplink: Gigabit Ethernet (GbE)● Power Method: PoE+ (802.3at or equivalent) <p data-bbox="501 1518 683 1554">B. ADAPTER</p> <p data-bbox="501 1585 683 1621">Functionality</p> <ul data-bbox="545 1617 1417 1805" style="list-style-type: none">● Powers PoE+ devices with wireless mesh applications or offloads PoE switch power dependencies● Delivers up to 30W of PoE+● Provides additional power for devices such as U6 LR, U6 Enterprise, Camera DSLR, and other PoE+ devices <p data-bbox="501 1841 705 1877">Power Adapter</p> <ul data-bbox="545 1872 890 1944" style="list-style-type: none">● Output Voltage: 48 V DC● Output Current: 0.5 A <p data-bbox="501 1980 619 2016">Ethernet</p> <ul data-bbox="545 2011 865 2083" style="list-style-type: none">● Port Speed: 1 Gbps● Powering: 2-Pair PoE+	Item	Quantity	Wireless Access Point	40	Adapter	40	Controller	1
Item	Quantity								
Wireless Access Point	40								
Adapter	40								
Controller	1								

	<ul style="list-style-type: none"> • Connections: RJ45 data input, PoE+ output, AC cable with earth ground <p>Protection Features</p> <ul style="list-style-type: none"> • Surge protection • Peak pulse protection • Overcurrent protection <p>Indicators</p> <ul style="list-style-type: none"> • LED indicator for status monitoring <p>C. CONTROLLER</p> <p>Performance</p> <ul style="list-style-type: none"> • Supports 100+ devices • 1,000+ client support • 3.5+ Gbps routing with IDS/IPS <p>Applications</p> <ul style="list-style-type: none"> • Includes full application for device management and wireless network monitoring. <p>Ports</p> <ul style="list-style-type: none"> • LAN: 1 × 10G SFP+, 8 × GbE RJ45 • WAN: 1 × 10G SFP+, 1 × GbE RJ45 <p>Storage</p> <ul style="list-style-type: none"> • 3.5" NVR HDD bay <p>Power</p> <ul style="list-style-type: none"> • Power Backup ready <p>Display:</p> <ul style="list-style-type: none"> • 1.3" touchscreen
Installation	<ul style="list-style-type: none"> • Assembly and Mounting: Assemble and securely mount the Wireless Access Points (WAPs) at designated locations. • Support and Fittings: Supply and install all necessary supports, brackets, and fittings to ensure proper and secure installation. • Cabling: Supply and install Category 6 (CAT 6) UTP Ethernet cable designed for high-speed indoor deployments, featuring: <ul style="list-style-type: none"> - Communications multipurpose cable with Riser (CMR)-rated, fire-resistant jacket - Anti-crosstalk divider for improved signal integrity • Termination: Perform proper cable termination in compliance with industry standards. • Programming and Configuration: Configure and program the Wireless Access Points for optimized performance and seamless connectivity. • Site Restoration: Clean and retouch all affected areas to restore them to their original condition post-installation. • Testing and Commissioning: Conduct comprehensive testing and commissioning to ensure full functionality and readiness for operational use.
Warranty	<ul style="list-style-type: none"> • Warranty Coverage: Three (3) years on parts and labor, with on-site support included. • Response Time: In the event of any technical problem within the warranty period, a qualified service engineer must report on-site within four (4) hours to address and resolve the issue. • Replacement Provision: In case of any defect within the warranty period, if the unit cannot be repaired within twenty-four (24) hours from the time

	the issue is reported, the supplier shall provide a replacement or service unit of the same or higher specifications, free of charge.
Delivery	Thirty (30) Calendar Days upon Receipt of Purchase Order.
Payment Terms (Government terms 15-30 CD)	The payment shall be made upon issuance of the Billing Statement on a Bank-to-Bank basis. Automatic Debit Arrangement (ADA) through Land Bank of the Philippines (LBP) facilities, for other Commercial Bank, applicable bank charges shall be for the account of supplier. The supplier shall submit bank details together with billing statement/ invoice for ready reference.
Documentary Requirements (per RA9184)	<ul style="list-style-type: none"> • Copy of the Mayor's Permit issued by the city or municipality where the principal place of business of the prospective bidder is located; and • Valid PhilGEPS Registration.
Note: Prospective suppliers must comply with all of the above requirements to become eligible with the said procurement project.	

Prepared by:


ADRIAN G. RAMOS
 ITO II, MISS

Approved by:


JOSEPH VICTOR S. GENERATO, PhD
 Director II, MISS